

Product description	Protection cap for M12 interface box and female connector
Order number	08 2769 000 000

Illustration



Technical data

Temperature range	-40°C bis +85°C
Degree of protection	IP67
Material protective cap	PA

Matching products

- 99 0486 52 08 - Female angled connector, metal locking system, screw clamp connection, solder termination on 12 pol
- 99 1486 822 08 - Female angled connector, screw clamp connection, with shielding ring, shieldable, solder termination on 12 pol, with die-cast threaded ring
- 77 3530 0000 50703-0200 - Female cable connector, moulded, shielded, PUR
- 77 3530 0000 50703-0500 - Female cable connector, moulded, shielded, PUR
- 77 3530 0000 50704-0200 - Female cable connector, moulded, shielded, PUR
- 77 3530 0000 50704-0500 - Female cable connector, moulded, shielded, PUR
- 77 3530 0000 50705-0200 - Female cable connector, moulded, shielded, PUR
- 77 3530 0000 50705-0500 - Female cable connector, moulded, shielded, PUR
- 77 3530 0000 50708-0200 - Female cable connector, moulded, shielded, PUR
- 77 3530 0000 50708-0500 - Female cable connector, moulded, shielded, PUR
- 77 3430 0000 50003-0200 - Female cable connector, moulded, PUR
- 77 3430 0000 50003-0500 - Female cable connector, moulded, PUR
- 77 3430 0000 50004-0200 - Female cable connector, moulded, PUR
- 77 3430 0000 50004-0500 - Female cable connector, moulded, PUR
- 77 3430 0000 50005-0200 - Female cable connector, moulded, PUR
- 77 3430 0000 50005-0500 - Female cable connector, moulded, PUR
- 77 3430 0000 50708-0200 - Female cable connector, moulded, PUR
- 77 3430 0000 50708-0500 - Female cable connector, moulded, PUR
- 77 3430 0000 50712-0200 - Female cable connector, moulded, PUR
- 77 3430 0000 50712-0500 - Female cable connector, moulded, PUR
- 77 3430 0000 20003-0200 - Female cable connector, moulded, PVC
- 77 3430 0000 20003-0500 - Female cable connector, moulded, PVC
- 77 3430 0000 20004-0200 - Female cable connector, moulded, PVC
- 77 3430 0000 20004-0500 - Female cable connector, moulded, PVC
- 77 3430 0000 20005-0200 - Female cable connector, moulded, PVC
- 77 3430 0000 20005-0500 - Female cable connector, moulded, PVC
- 77 3430 0000 20708-0200 - Female cable connector, moulded, PVC
- 77 3430 0000 20708-0500 - Female cable connector, moulded, PVC
- 77 3430 0000 20712-0200 - Female cable connector, moulded, PVC
- 77 3430 0000 20712-0500 - Female cable connector, moulded, PVC
- 77 3430 0000 70003-0200 - Female cable connector, moulded, 120 °C

Product description	Protection cap for M12 interface box and female connector
Order number	08 2769 000 000

- 77 3434 0000 80204-0500 - Female angled connector, moulded, PUR, for welding applications
- 77 3434 0000 80005-0200 - Female angled connector, moulded, PUR, for welding applications
- 77 3434 0000 80005-0500 - Female angled connector, moulded, PUR, for welding applications
- 77 3434 0000 80205-0200 - Female angled connector, moulded, PUR, for welding applications
- 77 3434 0000 80205-0500 - Female angled connector, moulded, PUR, for welding applications
- 77 3534 0000 50703-0200 - Female angled connector, moulded, shielded, PUR
- 77 3534 0000 50703-0500 - Female angled connector, moulded, shielded, PUR
- 77 3534 0000 50704-0200 - Female angled connector, moulded, shielded, PUR
- 77 3534 0000 50704-0500 - Female angled connector, moulded, shielded, PUR
- 77 3534 0000 50705-0200 - Female angled connector, moulded, shielded, PUR
- 77 3534 0000 50705-0500 - Female angled connector, moulded, shielded, PUR
- 77 3534 0000 50708-0200 - Female angled connector, moulded, shielded, PUR
- 77 3534 0000 50708-0500 - Female angled connector, moulded, shielded, PUR
- 77 3534 0000 20703-0200 - Female angled connector, moulded, shielded, PVC
- 77 3534 0000 20703-0500 - Female angled connector, moulded, shielded, PVC
- 77 3534 0000 20704-0200 - Female angled connector, moulded, shielded, PVC
- 77 3534 0000 20704-0500 - Female angled connector, moulded, shielded, PVC
- 77 3534 0000 20705-0200 - Female angled connector, moulded, shielded, PVC
- 77 3534 0000 20705-0500 - Female angled connector, moulded, shielded, PVC
- 77 3534 0000 20708-0200 - Female angled connector, moulded, shielded, PVC
- 77 3534 0000 20708-0500 - Female angled connector, moulded, shielded, PVC
- 77 3734 0000 50003-0200 - Female angled connector, moulded, stainless steel locking system, PUR
- 77 3734 0000 50003-0500 - Female angled connector, moulded, stainless steel locking system, PUR
- 77 3734 0000 50004-0200 - Female angled connector, moulded, stainless steel locking system, PUR
- 77 3734 0000 50004-0500 - Female angled connector, moulded, stainless steel locking system, PUR
- 77 3734 0000 50005-0200 - Female angled connector, moulded, stainless steel locking system, PUR
- 77 3734 0000 50005-0500 - Female angled connector, moulded, stainless steel locking system, PUR
- 77 3734 0000 50708-0200 - Female angled connector, moulded, stainless steel locking system, PUR
- 77 3734 0000 50708-0500 - Female angled connector, moulded, stainless steel locking system, PUR
- 77 3634 0000 50003-0200 - Female angled connector, moulded, with LED, PNP
- 77 3634 0000 50003-0500 - Female angled connector, moulded, with LED, PNP
- 77 3634 0000 50004-0200 - Female angled connector, moulded, with LED, PNP
- 77 3634 0000 50004-0500 - Female angled connector, moulded, with LED, PNP
- 77 3634 0000 20003-0200 - Female angled connector, moulded, with LED, PNP
- 77 3634 0000 20003-0500 - Female angled connector, moulded, with LED, PNP
- 77 3634 0000 20004-0200 - Female angled connector, moulded, with LED, PNP
- 77 3634 0000 20004-0500 - Female angled connector, moulded, with LED, PNP
- 77 3834 0000 50003-0200 - Female angled connector, moulded, with LED, PNP, stainless steel locking system
- 77 3834 0000 50003-0500 - Female angled connector, moulded, with LED, PNP, stainless steel locking system
- 77 3834 0000 20003-0200 - Female angled connector, moulded, with LED, PNP, stainless steel locking system
- 77 3834 0000 20003-0500 - Female angled connector, moulded, with LED, PNP, stainless steel locking system
- 77 3834 0000 20004-0200 - Female angled connector, moulded, with LED, PNP, stainless steel locking system
- 77 3834 0000 20004-0500 - Female angled connector, moulded, with LED, PNP, stainless steel locking system
- 77 2530 0000 50705-0200 - Female cable connector, CAN-Bus
- 77 2530 0000 50705-0500 - Female cable connector, CAN-Bus
- 77 2530 0000 50705-1000 - Female cable connector, CAN-Bus
- 77 9840 0000 00005 - Female terminating connector, CAN-Bus
- 76 0232 0015 00004-0200 - Female panel mount connector with single wires, AWG 16, Power
- 76 0632 1015 00004-0200 - Female panel mount connector, front fastened, with single wires, AWG 16, Power
- 86 4232 1002 00004 - Female panel mount connector, solder, plastic housing
- 86 4332 1002 00004 - Female panel mount connector, solder, plastic housing
- 86 4232 1002 00005 - Female panel mount connector, solder, plastic housing
- 86 4332 1002 00005 - Female panel mount connector, solder, plastic housing
- 86 4232 1002 00008 - Female panel mount connector, solder, plastic housing
- 86 4332 1002 00008 - Female panel mount connector, solder, plastic housing
- 86 4832 3002 00004 - Female panel mount connector, front fastened, solder, plastic housing
- 86 4832 3002 00005 - Female panel mount connector, front fastened, solder, plastic housing
- 86 4832 3002 00008 - Female panel mount connector, front fastened, solder, plastic housing
- 86 4832 3000 00004 - Female panel mount connector, front fastened, dip solder, plastic housing
- 86 4832 3000 00005 - Female panel mount connector, front fastened, dip solder, plastic housing
- 86 4832 3000 00008 - Female panel mount connector, front fastened, dip solder, plastic housing
- 86 4832 3100 00012 - Female panel mount connector, front fastened, dip solder, plastic housing
- 76 0132 0011 00004-0200 - Female panel mount connector with single wires, metal housing
- 76 2132 0111 00004-0200 - Female panel mount connector with single wires, metal housing
- 76 2232 0111 00004-0200 - Female panel mount connector with single wires, metal housing
- 76 0132 0011 00005-0200 - Female panel mount connector with single wires, metal housing
- 76 2132 0111 00005-0200 - Female panel mount connector with single wires, metal housing
- 76 2232 0111 00005-0200 - Female panel mount connector with single wires, metal housing
- 76 0132 0011 00008-0200 - Female panel mount connector with single wires, metal housing
- 76 0232 0011 00008-0200 - Female panel mount connector with single wires, metal housing

Product description	Protection cap for M12 interface box and female connector
Order number	08 2769 000 000

- 09 3432 284 04 - Female panel mount connector with single wires, outdoor
- 09 3442 284 05 - Female panel mount connector with single wires, outdoor
- 86 0532 1000 00004 - Female panel mount connector, front fastened, dip solder, 6 mm contact length, metal housing
- 86 0632 1000 00004 - Female panel mount connector, front fastened, dip solder, 6 mm contact length, metal housing
- 86 0532 1000 00005 - Female panel mount connector, front fastened, dip solder, 6 mm contact length, metal housing
- 86 0632 1000 00005 - Female panel mount connector, front fastened, dip solder, 6 mm contact length, metal housing
- 86 2532 1100 00005 - Female panel mount connector, front fastened, dip solder, 6 mm contact length, metal housing
- 86 0532 1000 00008 - Female panel mount connector, front fastened, dip solder, 6 mm contact length, metal housing
- 86 0632 1000 00008 - Female panel mount connector, front fastened, dip solder, 6 mm contact length, metal housing
- 86 2532 1100 00008 - Female panel mount connector, front fastened, dip solder, 6 mm contact length, metal housing
- 86 0532 1100 00012 - Female panel mount connector, front fastened, dip solder, 6 mm contact length, metal housing
- 86 0632 1100 00012 - Female panel mount connector, front fastened, dip solder, 6 mm contact length, metal housing
- 09 3432 92 04 - Female panel mount connector, front fastened, dip solder, 12 mm contact length, metal housing
- 09 3442 92 05 - Female panel mount connector, front fastened, dip solder, 12 mm contact length, metal housing
- 86 0532 1120 00004 - Female panel mount connector, front fastened, dip solder, with shielding sheet, metal housing
- 86 0532 1120 00005 - Female panel mount connector, front fastened, dip solder, with shielding sheet, metal housing
- 86 0532 1120 00008 - Female panel mount connector, front fastened, dip solder, with shielding sheet, metal housing
- 86 0532 1120 00012 - Female panel mount connector, front fastened, dip solder, with shielding sheet, metal housing
- 86 0532 1121 00004 - Female angled panel mount connector, front fastened, dip solder, with shielding sheet, metal housing
- 86 0532 1121 00005 - Female angled panel mount connector, front fastened, dip solder, with shielding sheet, metal housing
- 99 3432 202 04 - Female angled receptacle for PCB assembly
- 99 3432 601 04 - Female angled receptacle for PCB assembly
- 99 3442 202 05 - Female angled receptacle for PCB assembly
- 99 3442 601 05 - Female angled receptacle for PCB assembly
- 99 3482 202 08 - Female angled receptacle for PCB assembly
- 99 3482 601 08 - Female angled receptacle for PCB assembly
- 70 3442 785 05 - Female panel mount connector M16, with shielded PUR cable
- 70 3482 785 08 - Female panel mount connector M16, with shielded PUR cable
- 70 3442 287 05 - Female panel mount connector, front fastened, with shielded PUR cable
- 70 3482 287 08 - Female panel mount connector, front fastened, with shielded PUR cable
- 99 3432 200 04 - Female receptacle for PCB assembly, straight
- 99 3432 458 04 - Female receptacle for PCB assembly, straight
- 99 3442 200 05 - Female receptacle for PCB assembly, straight
- 99 3442 458 05 - Female receptacle for PCB assembly, straight
- 99 3482 200 08 - Female receptacle for PCB assembly, straight
- 99 3482 458 08 - Female receptacle for PCB assembly, straight
- 76 0932 0111 00004-0200 - Female panel mount connector, rectangular flange, with single wires, metal housing
- 76 0932 0111 00005-0200 - Female panel mount connector, rectangular flange, with single wires, metal housing
- 76 0932 0111 00008-0200 - Female panel mount connector, rectangular flange, with single wires, metal housing
- 76 0932 0111 00012-0200 - Female panel mount connector, rectangular flange, with single wires, metal housing
- 76 4332 0011 00004-0200 - Female panel mount connector with single wires, AWG 24, M16 x 1,5, plastic housing
- 76 4332 0011 00005-0200 - Female panel mount connector with single wires, AWG 24, M16 x 1,5, plastic housing
- 76 4332 0011 00008-0200 - Female panel mount connector with single wires, AWG 24, M16 x 1,5, plastic housing
- 76 4332 0111 00012-0200 - Female panel mount connector with single wires, AWG 24, M16 x 1,5, plastic housing
- 76 4832 3011 00004-0200 - Female panel mount connector, front fastened, with single wires, AWG 24, PG 9, plastic housing
- 76 4832 3011 00005-0200 - Female panel mount connector, front fastened, with single wires, AWG 24, PG 9, plastic housing
- 76 4832 3011 00008-0200 - Female panel mount connector, front fastened, with single wires, AWG 24, PG 9, plastic housing
- 99 0436 32 05 - Female cable connector with A-coding, Power
- 09 3432 433 04 - Female panel mount connector with single wires, Power
- 09 3442 433 05 - Female panel mount connector with single wires, Power
- 86 0432 0003 00004 - Female panel mount connector, POWER, screw clamp connection
- 86 0432 0003 00005 - Female panel mount connector, POWER, screw clamp connection
- 86 0432 0003 00008 - Female panel mount connector, POWER, screw clamp connection
- 77 0606 0000 50704-0200 - Female cable connector, moulded, PUR, Power, shielded
- 77 0606 0000 50704-0500 - Female cable connector, moulded, PUR, Power, shielded
- 77 3730 0000 20403-0200 - Female cable connector, moulded, PVC, stainless steel locking ring, Food and Beverage
- 77 3730 0000 20403-0500 - Female cable connector, moulded, PVC, stainless steel locking ring, Food and Beverage
- 77 3730 0000 20404-0200 - Female cable connector, moulded, PVC, stainless steel locking ring, Food and Beverage
- 77 3730 0000 20404-0500 - Female cable connector, moulded, PVC, stainless steel locking ring, Food and Beverage
- 77 3730 0000 20405-0200 - Female cable connector, moulded, PVC, stainless steel locking ring, Food and Beverage
- 77 3730 0000 20405-0500 - Female cable connector, moulded, PVC, stainless steel locking ring, Food and Beverage
- 77 3730 0000 20908-0200 - Female cable connector, moulded, PVC, stainless steel locking ring, Food and Beverage
- 77 3730 0000 20908-0500 - Female cable connector, moulded, PVC, stainless steel locking ring, Food and Beverage
- 77 3730 0000 20912-0200 - Female cable connector, moulded, PVC, stainless steel locking ring, Food and Beverage
- 77 3730 0000 20912-0500 - Female cable connector, moulded, PVC, stainless steel locking ring, Food and Beverage
- 77 3730 0000 40403-0200 - Female cable connector, moulded, PP, stainless steel locking ring, Food and Beverage, acc. to FDA
- 77 3730 0000 40403-0500 - Female cable connector, moulded, PP, stainless steel locking ring, Food and Beverage, acc. to FDA
- 77 3730 0000 40404-0200 - Female cable connector, moulded, PP, stainless steel locking ring, Food and Beverage, acc. to FDA
- 77 3730 0000 40404-0500 - Female cable connector, moulded, PP, stainless steel locking ring, Food and Beverage, acc. to FDA
- 77 3730 0000 40405-0200 - Female cable connector, moulded, PP, stainless steel locking ring, Food and Beverage, acc. to FDA

Product description	Protection cap for M12 interface box and female connector
Order number	08 2769 000 000

- 99 0430 135 04 - Female angled connector, metal locking system, screw clamp connection
- 99 0430 235 04 - Female angled connector, metal locking system, screw clamp connection
- 99 0436 135 05 - Female angled connector, metal locking system, screw clamp connection
- 99 0436 235 05 - Female angled connector, metal locking system, screw clamp connection
- 99 1430 820 04 - Female angled connector, screw clamp connection, with shielding ring, shieldable, with die-cast threaded ring
- 99 1436 820 05 - Female angled connector, screw clamp connection, with shielding ring, shieldable, with die-cast threaded ring
- 99 1436 920 05 - Female angled connector, screw clamp connection, with shielding ring, shieldable, with die-cast threaded ring
- 99 1438 820 05 - Female angled connector, screw clamp connection, iris type spring, shieldable, with die-cast threaded ring
- 99 1536 820 05 - Female angled connector, wire clamp connection, with shielding ring, shieldable, with die-cast threaded ring
- 99 1536 920 05 - Female angled connector, wire clamp connection, with shielding ring, shieldable, with die-cast threaded ring
- 99 0430 15 04 - Female cable connector, plastic locking system, screw clamp termination
- 99 0430 110 04 - Female cable connector, plastic locking system, screw clamp termination
- 99 0436 15 05 - Female cable connector, plastic locking system, screw clamp termination
- 99 0436 110 05 - Female cable connector, plastic locking system, screw clamp termination
- 99 1434 820 04 - Female angled connector, crimp connection, shieldable
- 77 4430 0000 50003-0200 - Female cable connector, moulded, PUR (black)
- 77 4430 0000 50003-0500 - Female cable connector, moulded, PUR (black)
- 77 4430 0000 50004-0200 - Female cable connector, moulded, PUR (black)
- 77 4430 0000 50004-0500 - Female cable connector, moulded, PUR (black)
- 77 4430 0000 50005-0200 - Female cable connector, moulded, PUR (black)
- 77 4430 0000 50005-0500 - Female cable connector, moulded, PUR (black)
- 77 4430 0000 20003-0200 - Female cable connector, moulded, PVC (grey)
- 77 4430 0000 20003-0500 - Female cable connector, moulded, PVC (grey)
- 77 4430 0000 20004-0200 - Female cable connector, moulded, PVC (grey)
- 77 4430 0000 20004-0500 - Female cable connector, moulded, PVC (grey)
- 77 4430 0000 20005-0200 - Female cable connector, moulded, PVC (grey)
- 77 4430 0000 20005-0500 - Female cable connector, moulded, PVC (grey)
- 77 4434 0000 50003-0200 - Female angled connector, moulded, PUR (black)
- 77 4434 0000 50003-0500 - Female angled connector, moulded, PUR (black)
- 77 4434 0000 50004-0200 - Female angled connector, moulded, PUR (black)
- 77 4434 0000 50004-0500 - Female angled connector, moulded, PUR (black)
- 77 4434 0000 50005-0200 - Female angled connector, moulded, PUR (black)
- 77 4434 0000 50005-0500 - Female angled connector, moulded, PUR (black)
- 77 4434 0000 20003-0200 - Female angled connector, moulded, PVC (grey)
- 77 4434 0000 20003-0500 - Female angled connector, moulded, PVC (grey)
- 77 4434 0000 20004-0200 - Female angled connector, moulded, PVC (grey)
- 77 4434 0000 20004-0500 - Female angled connector, moulded, PVC (grey)
- 77 4434 0000 20005-0200 - Female angled connector, moulded, PVC (grey)
- 77 4434 0000 20005-0500 - Female angled connector, moulded, PVC (grey)
- 77 4330 0000 60702-0200 - Female cable connector, PROFIBUS
- 77 4330 0000 60702-0500 - Female cable connector, PROFIBUS
- 77 4330 0000 60702-1000 - Female cable connector, PROFIBUS
- 76 0134 0011 00104-0200 - Female panel mount connector with single wires 0.25 mm²
- 76 0234 0011 00104-0200 - Female panel mount connector with single wires 0.25 mm²
- 76 2134 0111 00104-0200 - Female panel mount connector with single wires 0.25 mm²
- 76 0134 0011 00105-0200 - Female panel mount connector with single wires 0.25 mm²
- 76 0234 0011 00105-0200 - Female panel mount connector with single wires 0.25 mm²
- 76 2134 0111 00105-0200 - Female panel mount connector with single wires 0.25 mm²
- 76 0734 0011 00104-0200 - Female panel mount connector, adjustable, with single wires 0.25 mm²
- 76 0834 0011 00104-0200 - Female panel mount connector, adjustable, with single wires 0.25 mm²
- 76 0734 0011 00105-0200 - Female panel mount connector, adjustable, with single wires 0.25 mm²
- 76 0834 0011 00105-0200 - Female panel mount connector, adjustable, with single wires 0.25 mm²
- 76 0534 1011 00104-0200 - Female panel mount connector, front fastened, with single wires 0.25 mm²
- 76 0534 1011 00105-0200 - Female panel mount connector, front fastened, with single wires 0.25 mm²
- 86 0134 0000 00005 - Female panel mount connector, dip-solder,
- 86 0534 1000 00004 - Female panel mount connector, front fastened, dip solder, 6 mm contact length
- 86 0534 1000 00005 - Female panel mount connector, front fastened, dip solder, 6 mm contact length
- 86 0534 1120 00005 - Female panel mount connector for PCB mounting, screwed from front, with shielding sheet, dip-solder
- 99 4442 200 05 - Integrated socket for PCB mounting, straight
- 99 4442 458 05 - Integrated socket for PCB mounting, straight
- 99 4442 202 05 - Integrated socket for printed circuit boards, angled
- 99 4442 601 05 - Integrated socket for printed circuit boards, angled
- 70 4434 246 04 - Female panel mount connector M16, with PROFIBUS cable, shielded
- 70 4434 247 04 - Female panel mount connector, front fastened, with PROFIBUS-cable, shielded
- 99 4432 401 04 - Female panel mount connector SMT, with housing, shieldable
- 99 4432 402 04 - Female panel mount connector SMT, with housing, shieldable
- 99 4442 401 05 - Female panel mount connector SMT, with housing, shieldable
- 99 4442 402 05 - Female panel mount connector SMT, with housing, shieldable
- 99 3730 810 04 - Female cable connector, CAT 5, screw clamp connection, with shielding ring, shieldable, with die-cast threaded ring
- 99 3728 810 04 - Female cable connector, CAT 5, screw clamp connection, iris type spring, shieldable, with die-cast threaded ring

Product description **Protection cap for M12 interface box and female connector**

Order number **08 2769 000 000**

- 99 3730 820 04 - Female angled connector, CAT 5, screw clamp connection, with shielding, ring, shieldable with die-cast threaded ring
- 99 3728 820 04 - Female angled connector, CAT 5, screw clamp connection, iris type spring, shieldable, with die-cast threaded ring
- 77 4530 0000 50704-0200 - Female cable connector, PROFINET
- 77 4530 0000 50704-0500 - Female cable connector, PROFINET
- 77 4530 0000 50704-1000 - Female cable connector, PROFINET
- 76 0136 0011 00404-0200 - Female panel mount connector with single wires, 0.25 mm²
- 76 0236 0011 00404-0200 - Female panel mount connector with single wires, 0.25 mm²
- 76 0536 1011 00404-0200 - Female panel mount connector, front fastened, with single wires, 0.25 mm²
- 86 0136 0000 00404 - Female panel mount connector, dip solder
- 86 0536 1000 00404 - Female panel mount connector, front fastened, dip solder
- 86 0536 1120 00404 - Female panel mount connector, front fastened, dip solder, with shielding sheet for PCB mounting
- 99 3732 200 04 - Female receptacle for PCB assembly, straight
- 99 3732 201 04 - Female receptacle for PCB assembly, straight
- 99 3732 202 04 - Female angled receptacle for PCB assembly
- 99 3732 203 04 - Female angled receptacle for PCB assembly
- 70 3734 705 04 - Female panel mount connector M16, with PROFINET-cable, shielded
- 70 3734 706 04 - Female panel mount connector M16, front fastened, with PROFINET-cable, shielded
- 09 5245 00 04 - Adapter lead-through for control cabinet, shielded
- 09 5246 00 04 - Adapter lead-through for control cabinet, female/female, shielded
- 99 3732 401 04 - Female panel mount connector, SMT, with housing, shieldable
- 99 3732 402 04 - Female panel mount connector, SMT, with housing, shieldable
- 99 3788 810 08 - Female cable connector with X-coding, IDT connection, shieldable, CAT 6A
- 09 5286 00 08 - Adapter lead-through for control cabinet, female/female, shielded
- 09 5287 00 08 - Adapter lead-through for control cabinet, female – RJ45 straight
- 09 5288 00 08 - Adapter lead-through for control cabinet, female – RJ45 angled
- 09 3782 95 08 - Female panel mount connector with X-coding, dip solder
- 09 3782 91 08 - Female panel mount connector with X-coding, front fastened, dip solder
- 99 3782 210 08 - Female panel mount connector with X-coding, dip solder, contact carrier fix
- 99 3782 200 08 - Female panel mount connector with X-coding, dip solder, contact carrier via undular washer
- 09 3782 200 08 - Contact insert with X-coding, dip solder, for mounting in customer housing
- 99 3782 202 08 - Female angled panel mount connector with X-coding, dip solder, contact carrier via undular washer
- 99 3782 213 08 - Female angled panel mount connector with X-coding, dip solder, contact carrier fix
- 09 3782 202 08 - Contact insert with X-coding, dip solder, angled, for mounting in customer housing
- 99 3782 401 08 - Female receptacle, SMT, with housing, shieldable
- 99 3782 402 08 - Female receptacle, SMT, with housing, shieldable
- 70 3784 706 08 - Female panel mount connector with X-coding, front fastened, with Ethernet cable
- 99 0686 19 03 - Female cable connector, power, S-Coding
- 99 0690 19 04 - Female cable connector, power, S-Coding
- 99 0690 32 04 - Female cable connector, power, S-Coding
- 99 0694 500 04 - Female panel mount connector, power, S-Coding, screw terminal connection
- 09 0688 700 03 - Female panel mount connector, power, S-Coding, with single wires
- 09 0692 700 04 - Female panel mount connector, power, S-Coding, with single wires
- 09 0692 121 04 - Female panel mount connector, Power, S-Coding, screwed from front, with single wires
- 09 0692 070 04 - Female panel mount connector, rectangular flange, with single wires, metal housing
- 09 0692 300 04 - Female panel mount connector with single wires, S-Coding, plastic housing
- 09 0692 321 04 - Male panel mount connector, Power, S-Coding, with single wires, M20 x 1,5
- 09 0692 642 04 - Male panel mount connector, Power, S-Coding, with single wires, M20 x 1,5
- 77 0690 0000 50704-0500 - Female cable connector, power, S-Coding
- 77 0690 0000 50704-0200 - Female cable connector, power, S-Coding
- 77 0690 0000 50703-0500 - Female cable connector, power, S-Coding
- 77 0690 0000 50703-0200 - Female cable connector, power, S-Coding
- 77 0694 0000 50704-0500 - Female angled connector, power, S-Coding
- 77 0694 0000 50704-0200 - Female angled connector, power, S-Coding
- 99 0700 29 05 - Female cable connector, K-Coding, screw terminal connection
- 09 0702 700 05 - Female cable connector, K-Coding, screw terminal connection
- 09 0702 400 05 - Female cable connector, K-Coding, screw terminal connection
- 99 0630 19 04 - Female cable connector, POWER, T-coding
- 99 1632 814 04 - Female cable connector, POWER, iris type spring, T-Coding, shieldable
- 99 1632 812 04 - Female cable connector, POWER, iris type spring, T-Coding, shieldable
- 99 0630 58 04 - Female angled connector, POWER, T-Coding
- 99 0634 500 04 - Female panel mount connector, POWER, screw clamp termination, T-Coding, M20 x 1,5
- 09 0632 90 04 - Female panel mount connector, POWER, front fastened, dip-solder, T-Coding
- 09 0632 700 04 - Female panel mount connector, POWER, with single wires, T-Coding
- 09 0632 120 04 - Female panel mount connector, POWER, front fastened, with single wires, T-Coding
- 09 0632 642 04 - Female panel mount connector, with single wires, M20 x 1,5
- 09 0632 070 04 - Female panel mount connector, rectangular flange, with single wires
- 09 0632 300 04 - Female panel mount connector with single wires, T-Coding, plastic housing
- 09 0632 321 04 - Female panel mount connector, front fastened, with single wires, T-Coding, plastic housing
- 99 0640 58 05 - M12-L female angled connector, 8-13 mm, not shielded, screw clamp, IP67, M12x1.0, for the power supply
- 99 0640 29 05 - Female cable connector, L-coding, with IDT connection, Power

Product description	Protection cap for M12 interface box and female connector
Order number	08 2769 000 000

09 0642 700 05 - Female panel mount connector, L-coding, with single wires, metal housing, Power
09 0642 400 05 - Female panel mount connector, L-coding, with single wires, metal housing, Power
99 2430 12 03 - Female cable connector 1/2 " UNF
99 2430 24 03 - Female angled connector 1/2 " UNF
99 2430 52 03 - Female angled connector 1/2 " UNF